100

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (22)   Hide

● [aria-*] attributes match their roles   ⌄

            96   100   100   92   PWA
                                                       —

● [role]s have all required [aria-*] attributes   ⌄

● [role] values are valid   ⌄

● [aria-*] attributes have valid values   ⌄

● [aria-*] attributes are valid and not misspelled   ⌄

● Buttons have an accessible name   ⌄

● ARIA IDs are unique   ⌄

● Image elements have [alt] attributes   ⌄

● [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.   ⌄

● [aria-hidden="true"] elements do not contain focusable descendents   ⌄

● The page contains a heading, skip link, or landmark region   ⌄

● Background and foreground colors have a sufficient contrast ratio   ⌄

● Document has a <title> element   ⌄

● [id] attributes on active, focusable elements are unique   ⌄

● <html> element has a [lang] attribute   ⌄

● <html> element has a valid value for its [lang] attribute   ⌄

● Links have a discernible name   ⌄

● Lists contain only <li> elements and script supporting elements (<script> and <template>).   ⌄

● List items (<li>) are contained within <ul> or <ol> parent elements   ⌄

● No element has a [tabindex] value greater than 0   ⌄

● Heading elements appear in a sequentially-descending order   ⌄

NOT APPLICABLE (22)   Hide

○   `[accesskey]` values are unique   ⌄

(96)   (100)   (100)   (92)   (PWA −)

○   ARIA input fields have accessible names   ⌄

○   ARIA `meter` elements have accessible names   ⌄

○   ARIA `progressbar` elements have accessible names   ⌄

○   Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required   ⌄
    children.

○   `[role]`s are contained by their required parent element   ⌄

○   ARIA toggle fields have accessible names   ⌄

○   ARIA `tooltip` elements have accessible names   ⌄

○   ARIA `treeitem` elements have accessible names   ⌄

○   `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>`   ⌄
    elements.

○   Definition list items are wrapped in `<dl>` elements   ⌄

○   No form fields have multiple labels   ⌄

○   `<frame>` or `<iframe>` elements have a title   ⌄

○   `<input type="image">` elements have `[alt]` text   ⌄

○   Form elements have associated labels   ⌄

○   The document does not use `<meta http-equiv="refresh">`   ⌄

○   `<object>` elements have alternate text   ⌄

○   Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same   ⌄
    table.

○   `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they   ⌄
    describe.

○   `[lang]` attributes have a valid value   ⌄

○   `<video>` elements contain a `<track>` element with `[kind="captions"]`   ⌄