



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

NAMES AND LABELS



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

INTERNATIONALIZATION AND LOCALIZATION

▲ `<html>` element does not have a `[lang]` attribute



These are opportunities to improve the interpretation of your content by users in different locales.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (11)

Hide

● `[aria-hidden="true"]` is not present on the document `<body>`



● Image elements have `[alt]` attributes



● Form elements have associated labels



● `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.



● The page contains a heading, skip link, or landmark region



● Background and foreground colors have a sufficient contrast ratio



● Document has a `<title>` element



● `[id]` attributes on active, focusable elements are unique



● Links have a discernible name



● No element has a `[tabindex]` value greater than 0



● Heading elements appear in a sequentially-descending order



NOT APPLICABLE (31)

Hide

95

91

92

92



[aria-] attributes match their roles

`button`, `link`, and `menuitem` elements have accessible names

`[aria-hidden="true"]` elements do not contain focusable descendents

ARIA input fields have accessible names

ARIA `meter` elements have accessible names

ARIA `progressbar` elements have accessible names

`[role]`s have all required `[aria-*`] attributes

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

`[role]`s are contained by their required parent element

`[role]` values are valid

ARIA toggle fields have accessible names

ARIA `tooltip` elements have accessible names

ARIA `treeitem` elements have accessible names

`[aria-*`] attributes have valid values

`[aria-*`] attributes are valid and not misspelled

Buttons have an accessible name

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

Definition list items are wrapped in `<dl>` elements

ARIA IDs are unique

No form fields have multiple labels

`<html>` element has a valid value for its `[lang]` attribute

`<input type="image">` elements have `[alt]` text

- Lists contain only `` elements and script supporting elements (`<script>` and `<template>`). ▼

95

91

92

92



-
- The document does not use `<meta http-equiv="refresh">` ▼

-
- `<object>` elements have alternate text ▼

-
- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ▼

-
- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▼

-
- `[lang]` attributes have a valid value ▼

-
- `<video>` elements contain a `<track>` element with `[kind="captions"]` ▼
-